



evropský
sociální
fond v ČR



EVROPSKÁ UNIE



MINISTERSTVO ŠKOLSTVÍ,
MLÁDEŽE A TĚLOVÝCHOVY



OP Vzdělávání
pro konkurenceschopnost

INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

Test of knowledge

Applied Ecology of Game

Mortality is:

- the scientific term for birth rate
- the scientific term for state of being mortal, or susceptible to death.
- the distribution of animals among various ages.

Density is:

- measurement of population per unit area or unit volume.
- the relative representation of a species in a community.
- the distribution of animals among various ages.

Red deer belongs to:

- order: Artiodactyla, suborder: Ruminantia, family: *Cervidae*
- order: Artiodactyla, suborder: Nonruminantia, family: *Cervidae*
- order: Artiodactyla, suborder: Cervinania, family: *Cervidae*

Preserve for ungulates must be fenced and min. area is:

- 50 ha
- 500 ha
- 1000 ha

Person on the hunt must have:

- valid hunting licence, valid hunting permit, compulsory insurance, shooting hat
- valid hunting licence, valid hunting permit, compulsory insurance, shooting licence
- valid hunting licence, valid fishing permit, compulsory insurance, shooting licence

Among to concentrate selectors belong:

- red deer, chamois
- mouflon, sheep
- moose, roe deer

Among to grass/roughage eaters belong:

- red deer, chamois
- mouflon, sheep
- moose, roe deer

Among the causes of landscape fragmentation belong:

- construction of roads and highways
- construction of hunting equipments
- establishment of hunting grounds

Shotgun is used for hunting (in CR) this game:

- ducks, hare, red fox, pheasant, mole
- hare, red fox, bear, pheasant, ducks
- pheasant, hare, ducks, pigeon

FACE is:

- a) the official abbreviation of international federation
- b) the official abbreviation of social network
- c) the official abbreviation of feeds for game

Haylofts is construction for:

- a) hunting
- b) feeding
- c) shooting

Common pheasant is:

- a) polygamous
- b) monogamous
- c) polyandrous

The greatest hunting organization in Czech Republic is:

- a) CIC
- b) MDŽ
- c) ČMMJ

The current annual blasting of wild pigs is about:

- a) 14 000 individuals
- b) 140 000 individuals
- c) 630 000 individuals

Between general principles of estimating age of living hoofed game does not belong:

- a) behaviour
- b) time of the day
- c) colour of eyes

Population is:

Herbivore is (and 5 examples):

Fertility is:

Hunting season of brown bear is (in CR):

Wild boar causes these damages:

Among the direct methods of counting animals include (3):

Provide 4 species of the suborder Ruminantia that occurs in nature (in CR) and is not original:

The causes of the growth abundance of wild pigs are:

Commensalism is:

Habitat is:

Specify 3 types of game preserve:

Caruncles are:

C.I.C. is:

Hunting season of sika deer is (in CR):

Explain the term "pheasantry":

Determine this game and describe it:

